

# SPINACH RANGE

## VIC

## 2019

Growth key: 1 - Slowest growth 10 - Fastest growth

Variety	Leaf Shape	Growth	Leaf type	Disease Resistance	Harvest Season
<b>Spinach</b> ( <i>spinacia oleracea</i> )					
<b>ALAMEDA<sup>F1</sup></b>	Oval paddle	9	Smooth	HR: Pfs 1-15, 17	Winter in mild areas
<b>BONGO<sup>F1</sup></b>	Pointed paddle	9	Semi savoy	HR: Pfs 1-11, 13, 15-16	Late autumn to mid winter
<b>HARP<sup>F1</sup></b>	Oriental	9	Smooth	HR: Pfs 1-12, 14-16	Mid winter in cool areas
<b>PV1422<sup>F1</sup></b>	Oriental	9	Smooth	HR: Pfs 1-9, 11-16	Cold shoulder to winter
<b>PV1423<sup>F1</sup></b>	Oriental	9	Smooth	HR: Pfs 1-12,14-16	Cold shoulder to winter
<b>AMADOR<sup>F1</sup></b>	Oval to paddle	8	Smooth to light savoy	HR: Pfs 1-15, 17	Cold shoulder in cool areas
<b>APACHE<sup>F1</sup></b>	Uniform paddle	8	Semi savoy	HR: Pfs 1-15, 17	Late autumn to early winter and early spring
<b>NEVADA<sup>F1</sup></b>	Paddle	8	Smooth	HR: Pfs 1-17	Winter in mild areas
<b>AZTEC<sup>F1</sup></b>	Paddle	7	Semi savoy	HR: Pfs 1-15, 17	Cool shoulder
<b>CARMEL<sup>F1</sup></b>	Paddle	7	Semi savoy	HR: Pfs 1-11, 13, 15-16 IR: Ao	Autumn to early winter and spring to early summer
<b>COLUSA<sup>F1</sup></b>	Oval to paddle	7	Smooth	HR: Pfs 1-17	Cool shoulder
<b>SILOUX<sup>F1</sup></b>	Round paddle	7	Semi savoy	HR: Pfs 1-15, 17	Late spring to early summer and autumn
<b>KIOWA<sup>F1</sup></b>	Round paddle	6	Semi savoy	HR: Pfs 1-17	Warm shoulder
<b>BANJO<sup>F1</sup></b>	Round paddle	6	Semi savoy	HR: Pfs 1-12, 14-16	Warm shoulder
<b>MAYA<sup>F1</sup></b>	Uniform oval paddle	6	Semi savoy	HR: Pfs 1-15, 17	Late summer to autumn
<b>YUMA<sup>F1</sup></b>	Round paddle	5	Savoy	HR: Pfs 1-15, 17	Summer to early Autumn in hot areas
<b>MANDOLIN<sup>F1</sup></b>	Paddle	4	Savoy	HR: Pfs 1-12, 14-16	Summer to early Autumn in hot areas
<b>GUITAR<sup>F1</sup></b>	Pointed paddle	4	Light savoy	HR: Pfs 1-13, 15	Shoulder late summer to autumn, spring
<b>PV1026<sup>F1</sup></b>	Pointed paddle	3	Smooth	HR to Pfs 1-12, 14-16	Summer
<b>PV1390<sup>F1</sup></b> Red Vein	Broad paddle	7	Light savoy	HR: Pfs 1-13, 15	Shoulder late summer to autumn, spring



### KEY

**HR - High resistance:** Highly resistant plant varieties would highly restrict the growth and development of the specified pest or pathogen under normal growing conditions and pest pressure when compared to susceptible varieties. These plant varieties may, however, exhibit some symptoms or damage under heavy pest pressure or stressful growing conditions.

**IR - Intermediate resistance:** Intermediately resistant plant varieties would restrict the growth and development of the specified pest or pathogen. The plant variety may however exhibit a greater range or degree of symptoms when compared to a highly resistant variety. Intermediately resistant plant varieties will still show less severe symptoms or disease damage than susceptible plant varieties when the crop is grown under similar environmental conditions and is subjected to the same disease or pest pressure.

Ao - White rust (*Albugo occidentalis*)

Pfs - Downy mildew (*Peronospora farinose* f.sp. *spinaciae*)

PV Pop Vriend Seeds



### DISCLAIMER

Lefroy Valley carries out trialling throughout Australia/New Zealand prior to releasing varieties into the market place. We strongly recommend that all varieties be trialed under your growing conditions prior to commercial sowings taking place. For details of up-to-date technical information & trial results in your area please contact Lefroy Valley. This information is valid at the date of publication. All cultural and descriptive information is supplied in good faith as a guide only. Varietal performance is influenced by many variables, namely climatic, soil conditions, cultural and management practices. No liability will be accepted by Lefroy Valley or its representatives as to final performance based on this information.