



Lefroy Valley
grower solutions

SQUASH

2017 RANGE BROCHURE

Ph: 1300 LEFROY (533 769)
www.lefroyvalley.com



Squash - Speciality

Variety	Colour	Disease Resistance
Button Squash (<i>Cucurbita pepo</i>)		
MORNING STAR^{F1}	Yellow	-
	Robust high yielding variety with a very strong plant. Although this variety does not have genetic virus resistance, the vigour of the plant allows for extended harvest. Uniform shapes are maintained throughout the harvest period	
PINWHEEL^{F1}	Precocious yellow (yellow stalk and blossom end)	IR: ZYMV
	Yellow button squash with the "precocious yellow" gene, which shows a typical yellow peduncle and blossom end	
Gem Squash (<i>Cucurbita pepo</i>)		
STAR GEM^{F1}	Flesh is creamy yellow/green, skin is a very dark green	-
	Short runners and a high concentrated yield. Mature fruit maintain the dark green colour longer than open pollinated varieties	
ZULU^{F1}	Flesh is creamy yellow, skin is a very dark green	-
	Fruit are initially oval, but mature fully to a globe shape, when they are 8x9cm in size	
Spaghetti Squash (<i>Cucurbita pepo</i>)		
VEGESGETTI^{F1}	Canary yellow	-
	A brand new hybrid Spaghetti squash with outstanding horticultural and fresh market attributes	

Squash - Speciality



Morning Star^{F1}



Pinwheel^{F1}



Star Gem^{F1}



Zulu^{F1}



Vegesgetti^{F1}

DISEASE KEY DEFINITIONS

HR: Highly resistant plant varieties would highly restrict the growth and development of the specified pest or pathogen under normal growing conditions and pest pressure when compared to susceptible varieties. These plant varieties may, however, exhibit some symptoms or damage under heavy pest pressure or stressful growing conditions.

IR: Intermediately resistant plant varieties would restrict the growth and development of the specified pest or pathogen. The plant variety may however exhibit a greater range or degree of symptoms when compared to a highly resistant variety. Intermediately resistant plant varieties will still show less severe symptoms or disease damage than susceptible plant varieties when the crop is grown under similar environmental conditions and is subjected to the same disease or pest pressure.

Px	Powdery mildew (<i>Podosphaera xanthii</i>)
PRSV	Papaya Ringspot virus
WMV	Watermelon mosaic virus
ZYMV	Zucchini yellow mosaic virus

DISCLAIMER

Lefroy Valley carries out trialling throughout Australia/New Zealand prior to releasing varieties into the market place. We strongly recommend that all varieties be trialed under your growing conditions prior to commercial sowings taking place. For details of up-to-date technical information & trial results in your area please contact Lefroy Valley. This information is valid at the date of publication. All cultural and descriptive information is supplied in good faith as a guide only. Varietal performance is influenced by many variables, namely climatic, soil conditions, cultural and management practices. No liability will be accepted by Lefroy Valley or its representatives as to final performance based on this information.



1300 LEFROY (533 769)

VIC/SA/TAS

PH: 03 8779 2121
FX: 03 8732 0308

WA/NT

PH: 08 9344 4000
FX: 08 6210 1360

QLD/NSW

PH: 07 4632 0555
FX: 07 4632 0155

orders@leeroyvalley.com

www.leeroyvalley.com

Publication Date: December 2016